

Affective Interactive Narrative in the CALLAS Project

Fred Charles¹, Samuel Lemerrier¹, Thurid Vogt², Nikolaus Bee²,
Maurizio Mancini³, Jérôme Urbain⁴, Marc Price⁵, Elisabeth André²,
Catherine Pélachaud³, and Marc Cavazza¹

¹ School of Computing, University of Teesside, United Kingdom.
{f.charles, s.lemercier, m.o.cavazza}@tees.ac.uk

² Multimedia Concepts and Applications Group, Augsburg University, Germany.
{vogt, bee, andre}@informatik.uni-augsburg.de

³ IUT of Montreuil, University Paris VIII, France.
{m.mancini, c.pelachaud}@iut-univ.paris8.fr

⁴ Faculté Polytechnique de Mons, Department of Electrical Engineering,
TCTS Lab, Belgium.
jerome.urbain@fpms.ac.be

⁵ BBC Research, Tadworth, Surrey, United Kingdom.
marc.price@rd.bbc.co.uk

1 Introduction

Interactive Narrative relies on the ability for the user (and spectator) to intervene in the course of events so as to influence the unfolding of the story. This influence is obviously different depending on the Interactive Narrative paradigm being implemented, i.e. the user being a spectator or taking part in the action herself as a character. If we consider the case of an active spectator influencing the narrative, most systems implemented to date [1] have been based on the direct intervention of the user either on physical objects staged in the virtual narrative environment or on the characters themselves via natural language input [1] [3]. While this is certainly empowering the spectator, there may be limitations as to the realism of that mode of interaction if we were to transpose Interactive Narrative for a vast audience.

Spontaneous audience reactions are not always as structured and well-defined as previous Interactive Narrative systems have assumed. If we consider that the narrative experience can be essentially interpreted as generating various emotional states (e.g. tension) which derive from its aesthetic qualities (e.g. suspense [6]), a logical consequence would be to analyse spectator's emotional reactions and use these as an input to an Interactive Narrative system. Such an approach would actually constitute a "feedback loop" between an Interactive Narrative inducing emotions and the analysis of the quality and intensity of such emotions expressed by the user. It is notoriously difficult to accurately detect and categorise spontaneous affective states occurring when users are engaged with various media. This is why we have revised the affective loop described above and, in an attempt to improve the elicitation of user emotional

reactions we have inserted a virtual agent, acting as a co-spectator into that loop (see an illustration of the installation in Fig. 1).

The system can now be described as comprising i) an interactive narrative using traditional plan-based generative techniques, which is able to create situations exhibiting different levels of tension or suspense (by featuring the main character in dangerous situations) ii) an expressive virtual character (implemented using the Greta system [4]) whose role is, by accessing the internal data of the narrative planner to exaggerate the emotional value of a given scene so as to make it more visible to the user and iii) affective input devices, which at the current stage of development of the system are limited to an affective speech detection system (EmoVoice [5]) and a multi-keyword spotting system detecting emotionally charged words and expressions.



Fig. 1. Affective Interactive Narrative installation.

Overall, the system operates by generating narrative situations of various levels of intensity and tension, which are conveyed to the user via the additional channel of the expressive character. The system then detects in real-time the emotional state of the user, in this first version mostly through its vocal reactions¹. Finally, the emotion detected is used as a feedback on the story generation system to reinforce (positive feedback) or slow down (negative feedback) the narrative tension of the generated story.

2 System Overview and Results

We present a brief overview of the integrated system for the Affective Interactive Narrative installation (see Fig. 2) as well as some early results. The visualisation component is drawn from the character-based interactive storytelling system developed by Cavazza et al. [1] on top of the UT 2003™ computer game engine (Epic Games).

¹ Because vocal reactions correspond to a strong level of arousal, the expressive character plays an active role in increasing the user's reactivity. Future versions of the system will include the analysis of paralinguistic input (including silence) and video analysis of user's posture.

is then influenced by the modified heuristic steering the subsequent selection of tasks towards a less dangerous set of situations.

3 Conclusion

We have described a first proof-of-concept implementation of our system, whose purpose was mostly to validate the concept of feedback loop and experiment with the various constraints on the system's response times. Such a prototype would not be able to support user reactions to narrative "instantaneous" events (fall of an object, impact of a missile) unless these are somehow announced or the action is artificially slowed down. We are however devising mechanisms for progressive tension generation that would be able to announce events of intense narrative significance before these are actually generated by the system. This would in turn make possible to process the user's emotional reaction to actually have an influence of the story unfolding, rather than just record emotions and reactions *a posteriori*.

Acknowledgements

This work has been funded in part by the EU via the CALLAS Integrated Project (ref. 034800, <http://www.callas-newmedia.eu/>)

References

1. M. Cavazza, F. Charles, and S.J. Mead, "Character-based Interactive Storytelling", IEEE Intelligent Systems, special issue on AI in Interactive Entertainment, pp. 17-24, 2002.
2. J-L. Lugin and M. Cavazza, "AI-based world behaviour for emergent narratives", in Proceedings of the ACM Advances in Computer Entertainment Technology, Los Angeles, USA, 2006.
3. M. Mateas, and A. Stern, "Natural Language Understanding in Façade: Surface-text Processing", in Proceedings of the 2nd Technologies for Interactive Digital Storytelling and Entertainment (TIDSE'04), Darmstadt, Germany, 2004.
4. I.Poggi, C.Pelachaud, F. de Rosis, V. Carofiglio, B. De Carolis, "GRETA. A Believable Embodied Conversational Agent", in O. Stock and M. Zancarano, eds, Multimodal Intelligent Information Presentation, Kluwer, 2005.
5. J. Wagner, T. Vogt, E. André, "A Systematic Comparison of Different HMM Designs for Emotion Recognition from Acted and Spontaneous Speech", ACII 2007, pp. 114-125, 2007.
6. Y.G. Cheong, and R.M. Young, "A Computational Model of Narrative Generation for Suspense", AAI 2006 Computational Aesthetic Workshop, Boston, MA, USA, 2006.